

Ultra-Intense Laser Blast Creates 'Black Metal'

Ads by Google

Laser Light Scattering
Research-Oriented Light
Scattering Instruments.
View Publications!
www.wyatt.com

Handheld XRF No Isotopes
Handheld, high
performance XRF for
alloys, powders, liquids,
and more!
www.lnnov-xsys.com

Optical Engineering
Optomechanical design
services serving Silicon
Valley.
www.pegasus-design.com

Careers - Lockheed Martin
RF & Electro-Optical
Engineers Nationwide
Opportunities
www.lockheedmartin.com/careers


Laser measurement
Scientech laser power and
energy measurement
systems Made in the USA
www.scientech-inc.com

[Advertise on this site](#)**Similar entries**

- [Supermassive Black Holes Closest Pair](#)
- [Neutron Star Discovered](#)
- [Hybrid Microscope Probes Nano-Electronics](#)
- [Computer Chip Industry, Interconnect Bottleneck](#)

Ads by Google [Laser Trimming](#) [Micromachining](#) [Metal Powder](#) [Metal Bond](#)

Submitted by Technology News... on Tue, 2006-11-21 20:56.



"Black gold" is not just an expression anymore. Scientists at the University of Rochester have created a way to change the properties of almost any metal to render it, literally, black.

The process, using an incredibly intense burst of laser light, holds the promise of making everything from fuel cells to a space telescope's detectors more efficient—not to mention turning your car into the blackest black around.

"We've been surprised by the number of possible applications for this," says Chunlei Guo, assistant professor of optics at the University of Rochester. "We wanted to see what would happen to a metal's properties under different laser conditions and we stumbled on this way to completely alter the reflective properties of metals."

The key to creating black metal is an ultra-brief, ultra-intense beam of light called a femtosecond laser pulse. The laser burst lasts only a few quadrillionths of a second. To get a grasp of that kind of speed—a femtosecond is to a second what a second is to about 32 million years.

During its brief burst, Guo's laser unleashes as much power as the entire grid of North America onto a spot the size of a needle point. That intense blast forces the surface of the metal to form and nanostructures—pits, globules, and strands that both dramatically increase the area of the surface and capture radiation. Some larger structures also form in subsequent blasts.

Guo's research team has tested the absorption capabilities for the black metal and confirmed that it can absorb virtually all the light that fall on it, making it pitch black.

Other similar attempts have turned silicon black, but those use a gas to produce chemically etched microstructures. Regular silicon already absorbs most of the visible light that falls on it, so the etching technique only offers about a 30 percent improvement, whereas regular metals absorb only a few percent of visible light before Guo hits them with the laser.

The huge increase in light absorption enabled by Guo's femtosecond laser processing means nearly any metal becomes extremely useful anytime radiation gathering is needed. For instance, detectors of all kinds, from space probes to light meters, could capture far more data than an ordinary metal-based detector could.

And turning a metal black without paint, scoring, or burning could easily lead to everyday uses such as replacing black paint on automobile trim, or presenting your spouse with a jet-black engagement ring.

Guo is also quick to point out that the nanostructures' remarkable increase in a metal's surface area is a perfect way to catalyze chemical reactions. Along with one of his research group members, postdoctoral student Anatoliy Vorobyev, he hopes to learn how the metal can help derive more energy from fuel cell reactions.

The new process has worked on every metal Guo has tried, and since it's a property of the metal itself, there's no worry of the black wearing off.

Currently, the process is slow. To alter a strip of metal the size of your little finger easily takes 30 minutes or more, but Guo is looking at how different burst lengths, different wavelengths, and different intensities affect metal's properties.

So

Softv

Ph
RoMi
St
Co
the
Eu
Co
Re
Mi
Te
DcNo
PuIn
Se
Sy
PrBo
So
Sp
Of
FT
Pe
HaJa
Ap
SeTh
Al
Pr
3CNe
So
SP
SyTh
Sydb
Be

- [Gold Nanoparticles Emit Intense Heat](#)
- [Solar Cells With Photon Fusion](#)

Information

- * [Internet](#)
- * [Software](#)
- * [Linux](#)
- * [Computers/Servers](#)
- * [Memory](#)
- * [RFID](#)
- * [Video Cards](#)
- * [NanoTechnology](#)
- * [Mobile](#)
- * [CPU](#)
- * [Embedded](#)

* [Automotive Tech](#)

Syndicate



Fortunately, despite the incredible intensity involved, the femtosecond laser can be powered by a simple wall outlet, meaning that when the process is refined, implementing it should be relatively simple.

Despite the "wall outlet" ease of the use and the stay-cool metal, don't expect to see home-blackening kits anytime soon. "If you got your hand in the way of the focused laser beam, even though it's only firing for a few femtoseconds, it would drill a hole through your skin," says Guo. "I wouldn't recommend trying that."

For recent publications of this research, please visit Guo's research group website at <http://www.optics.rochester.edu/workgroups/guo/index.htm>

[add new comment](#)

Ads by Google

CRM Metrics and KPI's

Analytics, Performance, Dashboards Mirror42 CRM Dashboard Application

www.mirror42.com

[Advertise on this site](#)

Ini

Pr
Cl
Ca

PU
Ch
Pa
By

Sit
Re
Da
Or

Sc
Pr
Eb
Ch

Ini
Se
Sy
Pr

Bo
So
Sp
Op
FT
Pe
Ha

Ini
Su

Fre
the
Ca
Su
Ru

En
De
Op
Ne
Sti

Or
Sp
Re
Bil

Mobi

Sa
P9
Mc
Ph

LC

[Th](#)
[Cr](#)
[Sa](#)
—
, [Co](#)
[Te](#)
[Th](#)
[Si](#)
—
, [Th](#)
[Pr](#)
—
, [Sy](#)
[Sh](#)
[Mi](#)
[Sn](#)
—
, [Mi](#)
[Sil](#)
[Mi](#)
[Us](#)
[Te](#)
—
, [Wi](#)
[En](#)
[Po](#)
[Ele](#)
—
, [Co](#)
[on](#)
[Ha](#)
[QU](#)
[an](#)
—
, [Th](#)
[Pr](#)
—
, [Th](#)
[Ir](#)
[Mc](#)
—

[Technology News](#) ISSN 1911-1711